

This listing of claims will replace all prior versions and listings of claims in the application.

Subject matter to be added is in bold and underline.

Subject matter to be deleted is in bold and strike through.

### CLAIM LISTING

1. (Currently Amended) A method for treating disorders or diseases wherein a glucagon antagonistic action is beneficial, said method comprising administering to a subject in need thereof an effective amount of a compound which is selected from  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid ;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}-propionic acid ;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

~~3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid~~

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-  
yl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid ;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
~~3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid~~  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;



- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-  
benzoylamino}propionic acid; and,  
3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a  
pharmaceutically acceptable salt thereof.

2. (Original) The method according to claim 1, wherein the effective amount of the compound is  
in the range of from about 0.05 mg to about 2000 mg per day.
3. (Original) The method according to claim 1, wherein the effective amount of the compound is  
in the range of from about 0.1 mg to about 1000 mg per day.

4. (Original) The method according to claim 1, wherein the effective amount of the compound is in the range of from about 0.5 mg to about 500 mg per day.
5. (Currently Amended) A method for treating glucagon-mediated disorders and diseases, said method comprising administering to a subject in need thereof an effective amount of a compound which is selected from
  - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;
  - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;
  - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;
  - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid;
  - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid;
  - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;
  - 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid ;
  - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid;
  - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;
  - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid;
  - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid;
  - 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;
  - 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

**3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid**

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-  
yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-iso-  
indol-5-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-  
5-yl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;



3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

~~3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid~~

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-  
ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid; and,  
3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;  
or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.

6. (Currently Amended) A method for treating hyperglycemia, said method comprising administering to a subject in need thereof an effective amount of a compound which is selected from

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid;



3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino]-  
propionic acid ;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino]-  
propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

**3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid**

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
~~3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-~~  
~~yl)ureido-methyl]-benzoyl-amino}-propionic acid~~  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxo)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxo)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxo)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-amino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid; **and,**

3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.



7. (Currently Amended) A method for lowering blood glucose in a mammal, said method comprising administering to said mammal an effective amount of a compound which is selected from

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid ;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino}-  
propionic acid ;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino}-  
propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
~~3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid~~

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-iso-indol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid ;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

~~3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid~~

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;



- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]-  
benzoylamino}propionic acid; and,

3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a  
pharmaceutically acceptable salt thereof.

8. (Currently Amended) A method for treating impaired glucose tolerance, said method  
comprising administering to a subject in need thereof an effective amount of a A  
compound which is selected from

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic  
acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid ;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino}-  
propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

~~3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid~~

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid;



3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

~~3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid~~

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid; and,  
3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;  
or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.

9. (Currently Amended) A method for treating Type 2 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound which is selected from

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid ;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino}-  
propionic acid ;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino}-  
propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

~~3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid~~

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;



- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-  
yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-iso-  
indol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-  
5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid ;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
~~3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureido-methyl]-benzoyl-amino}-propionic acid~~  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-  
ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxo)benzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxo)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]-benzoylamino}propionic acid; and,

3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-amino}propionic acid;

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.

10. (Currently Amended) A method for delaying the progression from impaired glucose tolerance to Type 2 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound which is selected from

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid ;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;



- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino}-  
propionic acid ;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino]}-  
propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

~~3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid~~

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

~~3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid~~

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;



3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-  
benzoylamino}propionic acid; and,

3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a  
pharmaceutically acceptable salt thereof.

11. (Currently Amended) A method for delaying the progression from non-insulin requiring  
Type 2 diabetes to insulin requiring Type 2 diabetes, said method comprising  
administering to a subject in need thereof an effective amount of a compound which is  
selected from

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid ;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino}-propionic acid ;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino}-propionic acid;
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid;
- ~~3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid~~
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoyl-amino}propionic acid ;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
~~3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-~~  
~~yl)ureido=methyl]=benzoyl=amino}=propionic acid~~  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;



- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-  
ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]-benzoylamino}propionic acid; and,

3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.

12. (Currently Amended) A method for treating Type 1 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound which is selected from

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid ;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethyl]benzoylamino}-propionic acid;

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

~~3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid~~

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-  
yl)ureidomethyl]benzoylamino}propionic acid;



- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid ;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
~~3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid~~  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-  
benzoylamino}propionic acid; and,  
3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a  
pharmaceutically acceptable salt thereof.

13. (Currently Amended) A method for treating obesity, said method comprising administering  
to a subject in need thereof an effective amount of a compound which is selected from  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid ;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;



- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino}-  
propionic acid ;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino}-  
propionic acid;  
3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
**3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid**  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid ;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic  
acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic  
acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic  
acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic  
acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic  
acid;

~~3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-~~  
~~yl)=ureido=methyl]=benzoyl=amino}=propionic acid~~

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;

3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;

- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid;
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid;
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid;



3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic  
acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid;  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid;  
3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-  
benzoylamino}propionic acid; **and,**

3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-amino}propionic acid;

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.

14. (Original) The method according to claim 1, said method further comprising administering to a subject in need thereof an antidiabetic agent.
15. (Original) The method according to claim 1, said method further comprising administering to a subject in need thereof an antiobesity agent.
16. (Original) The method according to claim 1, said method further comprising administering to a subject in need thereof an antihypertensive agent.